

# **BIOCHEM - ACETONITRILE HPLC - Gradient** 20012

1.1	Product identifier:	BIOCHEM - ACETONITRILE HPLC - Gradient 20012 acetonitrile
	CAS:	75-05-8
	EC:	200-835-2
	Index:	608-001-00-3
	REACH:	01-2119471307-38-XXXX
1.2	Relevant identified	d uses of the substance or mixture and uses advised against:
	Relevant uses: Lab	oratory. For professional user only.
	Uses advised again	nst: All uses not specified in this section or in section 7.3
1.3	Details of the sup	plier of the safety data sheet:
	82 Avenue du 85e d	R LÕIRE - FRANCE 2496 Jharma.fr
1.4		one number: ORFILA (INRS) +33.1.45.42.59.59

#### 2.1 Classification of the substance or mixture:

# CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Acute Tox. 4: Acute toxicity, Category 4, H302+H312+H332 Eye Irrit. 2: Eye irritation, Category 2, H319 Flam. Liq. 2: Flammable liquids, Category 2, H225

#### Label elements: 2.2

# CLP Regulation (EC) No 1272/2008:



### Hazard statements:

Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled Eye Irrit. 2: H319 - Causes serious eye irritation Flam. Liq. 2: H225 - Highly flammable liquid and vapour Precautionary statements:

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P280: Wear protective gloves/protective clothing/eye protection/face protection P302+P352: IF ON SKIN: Wash with plenty of water P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P370+P378: In case of fire: Use ABC powder extinguisher to extinguish. P403+P235: Store in a well-ventilated place. Keep cool P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively

#### 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:



# BIOCHEM - ACETONITRILE HPLC - Gradient 20012

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

### Chemical description: Chemical substance

### Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

CAS: 75-05-8				
	etonitrile		ATP CLP00	
EC: 200-835-2 Index: 608-001-00-3 REACH01-2119471307-38- : XXXX	Regulation 1272/2008	Acute Tox. 4: H302+H312+H332; Eye Irrit. 2: H319; Flam. Liq. 2: H2	25 - Danger 🕴 🔅	100 %
To obtain more information of	on the hazards of	the substances consult sections 8, 11, 12, 15 and	116.	

# 3.2 Mixture:

Non-applicable

# **SECTION 4: FIRST AID MEASURES**

### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

# By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

#### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

### By ingestion/aspiration:

Request medical assistance immediately, showing the SDS of this product. Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Rinse out the mouth and throat, as they may have been affected during ingestion. Keep the person affected at rest.

### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

# SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO□). IT IS RECOMMENDED NOT to use tap water as an extinguishing agent.

### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

### Additional provisions:



# SECTION 5: FIREFIGHTING MEASURES (continued)

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Destroy any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

# 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

# 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

# 6.4 Reference to other sections:

See sections 8 and 13.

# SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems defined in Directive 94/9/EC (ATEX 100) and with the minimum requirements for protecting the security and health of workers under the selection criteria of Directive 1999/92/EC (ATEX 137). Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:	5 °C
Maximum Temp.:	30 °C

Maximum time: 6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

# 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.



# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the work environment

	Identification	Er	vironmental limits	
acetonitrile		IOELV (8h)	40 ppm	70 mg/m <sup>3</sup>
CAS: 75-05-8		IOELV (STEL)		
EC: 200-835-2		Year	2018	

### DNEL (Workers):

			Short e	xposure	Long e	xposure
lde	entification		Systemic	Local	Systemic	Local
acetonitrile		Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 75-05-8		Dermal	Non-applicable	Non-applicable	32,2 mg/kg	Non-applicable
EC: 200-835-2		Inhalation	68 mg/m³	68 mg/m³	68 mg/m <sup>3</sup>	68 mg/m <sup>3</sup>

### **DNEL** (General population):

			Short e	xposure	Long ex	kposure
	Identification		Systemic	Local	Systemic	Local
acetonitrile		Oral	0,6 mg/kg	Non-applicable	Non-applicable	Non-applicable
CAS: 75-05-8		Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 200-835-2		Inhalation	220 mg/m <sup>3</sup>	22 mg/m³	4,8 mg/m³	4,8 mg/m³

# PNEC:

Identification				
acetonitrile	STP	32 mg/L	Fresh water	10 mg/L
CAS: 75-05-8	Soil	2,41 mg/kg	Marine water	1 mg/L
EC: 200-835-2	Intermittent	10 mg/L	Sediment (Fresh water)	7,53 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable

### 8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory respiratory tract protection	Filter mask for gases and vapours	CAT III	EN 405:2001+A1:2009	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.
C	Specific protection	n for the hands			

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	NON-disposable chemical protective gloves		EN 374-1:2003 EN 374-3:2003/AC:2006 EN 420:2003+A1:2009	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.

D - Ocular and facial protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Face mask		EN 166:2001 EN 167:2001 EN 168:2001 EN ISO 4007:2012	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

- CONTINUED ON NEXT PAGE -



# BIOCHEM - ACETONITRILE HPLC - Gradient 20012

TION 8: EXPOS	URE CON	ITROLS/PERS	ONAL PRO	DTECT	ION (continued)	)	
Pictogram		PPE	Labelling		CEN Standard		Remarks
Mandatory comple body protection	ete protectio	sable clothing for n against chemical vith antistatic and roof properties	CAT III	E	EN 1149-1,2,3 3034:2005+A1:2009 EN ISO 13982- 1:2004/A1:2010 N ISO 6529:2001 N ISO 6530:2005 N ISO 13688:2013 EN 464:1994		professional use only. Clean periodically ording to the manufacturer's instructions
Mandatory foot protection	against antistatio	otwear for protection chemical risk, with and heat resistant properties			EN 13287:2008 NISO 20345:2011 NI 3832-1:2006	Re	eplace boots at any sign of deterioration.
F Additional eme	ergency me	asures					
Emergency	measure	Sta	andards		Emergency meas	ure	Standards
Emergency	+ shower		GI Z358-1 864-1:2002		Eyewash station	าร	DIN 12 899 ISO 3864-1:2002
Environmental e	, 	ntrols:	18		,		
In accordance with spillage of both th	• h the comm	unity legislation f nd its container. F			e environment it is tion see subsectior		mended to avoid environmental
volatile organic	•						
With regard to Dir	ective 2010	/75/EU, this prod	uct has the fo	llowing	characteristics:		
ů,	ective 2010	/75/EU, this prod 100 % weight	uct has the fo	ollowing	characteristics:		
With regard to Dir		· · · ·		llowing	characteristics:		
With regard to Dir V.O.C. (Supply):	20 °C:	100 % weight		llowing	characteristics:		

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chem	ical properties:						
For complete information see the product datasheet.							
Appearance:							
Physical state at 20 °C:	Liquid						
Appearance:	Not available						
Colour:	Not available						
Odour:	Not available						
Odour threshold:	Non-applicable *						
Volatility:	Volatility:						
Boiling point at atmospheric pressure:	82 °C						
Vapour pressure at 20 °C:	9363 Pa						
Vapour pressure at 50 °C:	33639 Pa (34 kPa)						
Evaporation rate at 20 °C:	Non-applicable *						
Product description:							
Density at 20 ºC:	785 kg/m³						
Relative density at 20 °C:	0,785						
Dynamic viscosity at 20 °C:	0,36 cP						
Kinematic viscosity at 20 °C:	0,45 cSt						
Kinematic viscosity at 40 °C:	Non-applicable *						
*Not relevant due to the nature of the product, not pr	oviding information property of its hazards.						

- CONTINUED ON NEXT PAGE -



Concentration:	Non-applicable *
pH:	Non-applicable *
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Non-applicable *
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	-44 °C
Explosive properties:	Non-applicable *
Oxidising properties:	Non-applicable *
Flammability:	
Flash Point:	6 °C
Flammability (solid, gas):	Non-applicable *
Autoignition temperature:	524 °C
Lower flammability limit:	3 % Volume
Upper flammability limit:	16 % Volume
Explosive:	
Lower explosive limit:	Non-applicable *
Upper explosive limit:	Non-applicable *
Other information:	
Surface tension at 20 °C:	Non-applicable *
Refraction index:	Non-applicable *

# SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

### 10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

# 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable

# 10.5 Incompatible materials:


·					
Acids	Water	Combustive materials	Combustible materials	Others	
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases	

# 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

# SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:





# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

The experimental information related to the toxicological properties of the product itself is not available

### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A.- Ingestion (acute effect):

- Acute toxicity : The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances

classified as dangerous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Exposure in high concentration can interfere with the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Above all, may have harmful effects for health if the product is absorbed through the skin. For more information on the secondary effects of skin contact see section 2.
  - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
  - Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

# Other information:

Non-applicable

Specific toxicology information on the substances:

	Identification		Acute toxicity		
acetonitrile		LD50 oral	470 mg/kg	Mouse	
CAS: 75-05-8		LD50 dermal	1100 mg/kg (ATEi)	Mouse	
EC: 200-835-2		LC50 inhalation	11 mg/L (4 h) (ATEi)		

# SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity:



# BIOCHEM - ACETONITRILE HPLC - Gradient 20012

Identification			Acute toxicity		Spec	ies	Genus	
acetonitrile		LC50	1640 mg/L (96 h)		Pimephales	promelas	Fish	
CAS: 75-05-8		EC50	3600 mg/L (48 h)		Daphnia	magna	Crustacea	
EC: 200-835-2		EC50 3560 mg/L (72 h)		N/A		Algae		
Persistence and degradability:								
Identification		De	gradability		Biod	degradability		
acetonitrile	BOD5	5	Non-applicable	Conc	entration	100	) mg/L	
CAS: 75-05-8	COD		Non-applicable	Perio	d	28	days	
EC: 200-835-2	BOD5		Non-applicable	% Bio	odegradable	88	88 %	
Bioaccumulative potential:	home		Non-applicable	70 BR				
Bioaccumulative potential: acetonitrile CAS: 75-05-8	Identification			BC	Bioaccu	umulation po 3 -0.34		
acetonitrile	home			BC	Bioaccu	umulation po		
acetonitrile CAS: 75-05-8	home			BC	Bioaccu CF w Log	umulation po 3 -0.34		
acetonitrile CAS: 75-05-8 EC: 200-835-2	home		porption/desorption	BC	Bioaccu CF w Log	umulation po 3 -0.34		
acetonitrile CAS: 75-05-8 EC: 200-835-2 Mobility in soil:	home			BC	Bioaccu CF w Log	3 -0.34 Low Volatility		
acetonitrile CAS: 75-05-8 EC: 200-835-2 Mobility in soil: Identification	Identification	Abse	orption/desorption	BC	Bioaccu SF w Log tential	3 -0.34 Low Volatility	tential Pa·m³/mol	

### 12.6 Other adverse effects

Not described

# SECTION 13: DISPOSAL CONSIDERATIONS

## 13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous

# Type of waste (Regulation (EU) No 1357/2014):

HP3 Flammable, HP4 Irritant - skin irritation and eye damage, HP6 Acute Toxicity

### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

### **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

# **SECTION 14: TRANSPORT INFORMATION**

### Transport of dangerous goods by land:

With regard to ADR 2017 and RID 2017:



# BIOCHEM - ACETONITRILE HPLC - Gradient 20012

SECTION 14: TRANSP	PORT	INFORMATION (continued)				
1	14.1	UN number:	UN1648			
1	14.2	UN proper shipping name:	ACETONITRILE			
		Transport hazard class(es):	3			
		Labels:	3			
1	14.4	Packing group:				
3 1	14.5	Environmental hazards:	No			
<b>▼</b> 1	14.6	Special precautions for user				
		Special regulations:	Non-applicable			
		Tunnel restriction code:	D/E			
		Physico-Chemical properties:	see section 9			
		Limited quantities:	1L			
1	14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable			
Transport of dang	gerous	s goods by sea:				
With regard to IMD	G 38-	16:				
1	14.1	UN number:	UN1648			
		UN proper shipping name:	ACETONITRILE			
		Transport hazard class(es):	3			
JAK I		Labels:	3			
1	14.4	Packing group:	1			
		Environmental hazards:	No			
3 1	14.6	Special precautions for user				
		Special regulations:	Non-applicable			
		EmS Codes:	F-E, S-D			
		Physico-Chemical properties:	see section 9			
		Limited quantities:	1L			
1	14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable			
Transport of dang	arous					
	Transport of dangerous goods by air: With regard to IATA/ICAO 2017:					
			1014040			
		UN number:				
		UN proper shipping name:	ACETONITRILE			
$\langle \simeq \rangle$ 1	14.3	Transport hazard class(es):	3			
		Labels:	3			
		Packing group: Environmental hazards:	II No			
			INO			
1	14.0	<b>Special precautions for user</b> Physico-Chemical properties:	see section 9			
1	14.7	Transport in bulk according to				
	14./	Annex II of Marpol and the IBC Code:	Inon-applicable			

# SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:
Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable
Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable
Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable
Article 95, REGULATION (EU) No 528/2012: Non-applicable
REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable
Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....)

- CONTINUED ON NEXT PAGE -



# SECTION 15: REGULATORY INFORMATION (continued)

Shall not be used in:

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtravs.

-tricks and lokes.

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

# **SECTION 16: OTHER INFORMATION**

### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

### Non-applicable

### Texts of the legislative phrases mentioned in section 2:

H225: Highly flammable liquid and vapour

H302+H312+H332: Harmful if swallowed, in contact with skin or if inhaled H319: Causes serious eye irritation

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

### CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

Eye Irrit. 2: H319 - Causes serious eye irritation

Flam. Liq. 2: H225 - Highly flammable liquid and vapour

# Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

# Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

- IMDG: International maritime dangerous goods code
- IATA: International Air Transport Association
- ICAO: International Civil Aviation Organisation
- COD: Chemical Oxygen Demand
- BOD5: 5-day biochemical oxygen demand
- BCF: Bioconcentration factor LD50: Lethal Dose 50

- LC50: Lethal Concentration 50 EC50: Effective concentration 50
- Log-POW: Octanol-water partition coefficient

Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary requirements to obtain the legal requirements concerning the manipulation storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.